#

Notice of Allowability	Application No.	pplication No. Applicant(s)	
	10/614,449	BUELLESFELD ET AL.	
	Examiner	Art Unit	
	Sean E. Vincent	1731	
The MAILING DATE of this communication apperation apperation of the definition of the Maintain and the communication apperation of the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to amendment filed Decay The allowed claim(s) is/are 1-14 and 22. 3. Acknowledgment is made of a claim for foreign priority under the decay of the Maintain appears and the maintain appear	ears on the cover sheet water (OR REMAINS) CLOSED or other appropriate commendates. This application is and MPEP 1308. ember 1, 2005.	rith the correspondence address in this application. If not included nunication will be mailed in due course. THIS subject to withdrawal from issue at the initia	S ative
a) ☑ All b) ☐ Some* c) ☐ None of the:			
 Certified copies of the priority documents have 	been received.		
2. Certified copies of the priority documents have	been received in Applicat	on No	
3. Copies of the certified copies of the priority doc	cuments have been receive	ed in this national stage application from the)
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) ☐ hereto or 2) ☐ to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
	-	• •	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of I	nformal Patent Application (PTO-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413),	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No 8), 7. ☐ Examiner'	./Mail Date s Amendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's	s Statement of Reasons for Allowance	
	9. Other		

Application/Control Number: 10/614,449 Page 2

Art Unit: 1731

REASONS FOR ALLOWANCE

- 1. The following is an examiner's statement of reasons for allowance: The prior art does not teach or fairly suggest a combination of an outer crucible comprising an electrically insulating material and the inner crucible comprises an electrically conductive material heatable by an electromagnetic field. Likewise, the prior art does not teach or fairly suggest a combination of an outer crucible having a closed jacket make from an electrically conductive material, to which an MF/HF coil is associated for heating and said inner crucible is a double-walled crucible that is connectable to a current source so that a current may be passed through said double-walled crucible for heating. It would not have been obvious to modify the prior art apparatus as such since the operation of the prior art arrangements would have been dramatically changed.
- 2. Arguments with regard to claim 1 and its dependents were found convincing. That is, the nozzle structure was not adequately disclosed or obvious from Aulich et al. Furthermore, the functional limitations added to claim 1 require a certain structure, some of which is embodied in the nozzle structure claimed. The prior art apparatus was not capable of performing the claimed function.
- 3. The amendments submitted contain no new matter. The applicant has pointed out the location of the literal support within the originally filed disclosure for each of the limitations added to the claims.
- 4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/614,449 Page 3

Art Unit: 1731

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sean Vincent whose telephone number is 571-272-1194. The examiner can normally be reached on Mon-Fri. 9:30 am-5:30 pm.

- 6. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on 571-272-1189. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 7. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

(Sean E Vincent Primary Examiner Art Unit 1731

S Vincent February 16, 2006